

Connections for boxes:

MP7 to Sub 800A: Master A out L+R – Mono in L or R: Jack / XLR male Sub 800A Mid-High out – AM12 in: XLR female – Jack AM12 – M12: Speakon / Speakon

Electricity for boxes:

MP7	- connect separately – 1 cable
2x Sub800A	 connect separately – 1 cable each
2x MP12	 connect separately – 1 cable each
2x M12	- connection Speakon on MP7 or AM12

Microphones:

1x Line6 XD-V70 Handheld Wireless Mic digital 12 Kanäle 100m 1x Line6 XD-V70HS Headset Wireless Mic digital 12 Kanäle 100m

CD-Players:

1x Pioneer CDJ 100S

Others:

Stativ: 4x individual 2x Sub800A











VARIOUS CABLES

Cables Line

1 1	Jack – Jack Jack – Jack	Line Line	5 m MP7 – AM12 20 mMP7 – AM12	
2	XLR female / Jack	Line	3 m Sub 800 – AM12	
1 1 1 1	XLR male / Jack XLR male / Jack XLR male / Jack XLR male / Jack XLR male / Jack	Line Line Line Line Line	5 m MP7 - Sub 800 10 mMP7 - Sub 800 15 mMP7 - Sub 800 20 mMP7 - Sub 800 30 mMP7 - Sub 800	
Cables HP				
1 1	Jack – Jack Jack – Jack		15 m MP7 - AM12 20 m MP7 - AM12	
2 2	XLR female / Jack XLR female / Jack	_	10 m Sub 800 – AM 12 20 m Sub 800 – AM 12	
2	XLR male / Jack	2x2.5mm	10 m MP7 – Sub 800	
2	Speakon-F/Speakon-F 1+/1-	2x2.5mm	3 m MP7/AM12 - M12	
1 1 1 1	Speakon/Speakon 1+/1- Speakon/Speakon 1+/1- Speakon/Speakon 1+/1- Speakon/Speakon 1+/1- Speakon/Speakon 1+/1-	2x2.5mm 2x2.5mm 2x2.5mm	10 mMP7/AM12 - M12 15 mMP7/AM12 - M12 20 mMP7/AM12 - M12 30 mMP7/AM12 - M12 50 mMP7/AM12 - M12	
2	Adapter Speakon / Speakon			

- 2
- Adapter Speakon / Speakor Adapter XLR female / Jack Adapter XLR male / Jack 2